OM475PAR16SQ

4" Square Incandescent Downlights

CAI. NO.			
TYPE:	PROJECT:		


PRODUCT INFORMATION **Applications**

Small square reflector downlight for use with economical incandescent lamps. Provides broad, uniform light distribution for areas such as lobbies, reception areas, restaurants and offices.

Specifications

- 1. **Housing** Precision formed heavy duty 20 gauge steel with polyester powder coat matte black to suppress light leaks. Housing top may be removed for servicing unit from above. Upper optic is attached to housing lid for easy access to lamp. Housing throat is 1-1/2" in depth to accommodate extra thick ceilings. Junction box and all electrical components may be accessed below or above ceiling.
- 2. Installation Housing has pre-installed Revelation C-channels for vertical and/or horizontal adjustment. Channels are pre-set at factory to center in grid ceiling without adjustments. Preset channels ensure proper alignment when row mounting multiple downlights. For wood construction specify Q1031(ordered separately). Flat bar hanger should install perpendicular to pre-installed bar hangers.
- 3. Optics The trim is die-formed of .040 low iridescent aluminum and is self-flanged with a variand/or light leaks available. Black coating on back of trim provides superior protection against flash and/or light leaks around the flange. White flange is standard. Optional polished flange matching trim finish is available, add FF to catalog number.
- 4. Socket Medium base 250V porcelain socket with nickel plated screw shell and 200°C wire positions lamp at optical focal plane of reflector for maximum performance.
- 5. Junction box Large 20 gauge galvanized steel with snap-on covers. Approved for through wiring with up to 8 #12 AWG conductors.
- 6. Thermal Protection A thermal protection device which meets all U.L. and NEC requirements is standard.
- 7. U.L. Listed For use in damp locations only and approved for Through Branch Circuit Wiring. I.B.E.W. union made.
- Canadian Specifications may vary from these shown, consult Canadian Division.





38_{mm}

CATALOG SYSTEM AND OPTIONS EXAMPLE OF COMPLETE CATALOG NUMBER: OM475PAR16SQ-CS Square Type Reflector **OMEGA** Optional (by others) Finish Lens Aptr. SQ OM4 Square 50 PAR20 **CL** Clear Glass CS Clear Specular 75 PAR16 CSS Clear Semi-Specular **PL** Prismatic **GS** Gold Specular (C73 Glass) WT Wheat SL Solite Glass PW Pewter **BK** Black **BZ** Bronze FIVE YEAR WH White **CB** Corrugated Baffle Warranty FF Finish Flange (as suffix to color)

OMEGA LIGHTING: 776 South Green St., Tupelo, MS 38804 Phone 662.842.7212 FAX 662.841.5501

OM450PAR20SQ-CS

Clear Specular Reflector

Report number: 27428 Lamp: (1)50WINC Fixture Efficiency: 85.0%

S/MH Ratio (O degree plane): 0.4

(90 degree plane): 0.6 Total Fixture Lumens: 468 IES file: F27428.IES Beam Angle: 26.79

LIGHTING PERFORMANCE DATA			
CEILING HEIGHT* (FT.)	INITIAL FOOTCANDLE	BEAM DIAMETER S (FTIN.)	
8	52.4	2 - 7	
10	28.2	3 - 7	
12	17.6	4 - 6	
14	12.0	5 - 6	
16	8.7	6 - 5	

CANDELA FOOT-				
DEGREES	AT 0°	AT 90°	LAMBERTS	
90	0	0		
85	0	0	0	
75	0	0	0	
65	0	1	33	
55	2	3	123	
45	8	10	360	
35	52	57		
25	175	243		
15	555	949		
5	1301	1916)	
0	1584	1584		

DISTRIBUTION CURVE

ZONAL CAVITY METHOD					
Е	Effective Floor Cavity Reflectance 0.20				
RC	80		70	50	
RW	50	30	50 30	50 30	
0	101	101	101101	98 98	
1	96	94	93 92	94 93	
2	93	90	88 84	92 89	
3	90	85	81 80	89 84	
4	86	81	78 75	85 81	
5	83	78	73 70	82 77	
6	81	75	70 68	80 73	
7	78	71	68 65	77 70	
8	75	68	65 61	75 68	
9	72	67	63 59	71 66	
10	70	64	59 57	69 64	

COEFFICIENTS OF UTILIZATION

OM475PAR16SQ-120

Clear Specular Reflector

Report number: 27427 Lamp: (1)75WINC Fixture Efficiency: 95.1%

S/MH Ratio (O degree plane): 0.6

(90 degree plane): 0.6 Total Fixture Lumens: 856 IES file: F27427.IES Beam Angle: 35.63

LIGHTING PERFORMANCE DATA			
CEILING HEIGHT* (FT.)	INITIAL FOOTCANDLES	BEAM DIAMETER 5 (FTIN.)	
8	58.0	3 - 6	
10	31.2	4 - 10	
12	19.5	6 - 1	
14	13.3	7 - 5	
16	9.6	8 - 8	

DISTRIBUTION CURVE

	807
	50°
4	40
	30-
	20*
90:	

CANDELA FOOT-			
DEGREES	AT 0°	AT 90°	LAMBERTS
90	0	0	
85	0	0	0
75	0	0	0
65	1	2	100
55	5	6	271
45	22	24	920
35	149	153	
25	476	466	
15	1117	1198	
5	1703	1726	
0	1756	1756	

ZONAL CAVITY METHOD				
Е	ffective Floor	Cavity Reflecto	ance 0.20	
RC	80	70	50	
RW	50 30	50 30	50 30	
0	112 112	112 112	111111	
1	109 106	104 102	106 104	
2	104 100	95 93	102 97	
3	98 93	90 85	97 93	
4	94 89	83 80	93 88	
5	91 83	79 75	90 82	
6	86 80	75 70	85 79	
7	83 76	70 67	81 <i>7</i> 5	
8	80 71	67 64	79 71	
9	<i>77</i> 68	64 60	76 68	
10	73 66	60 57	72 66	

COFFFICIENTS OF UTILIZATION

To convert values for optional reflector colors, multiply by: Gold .90 Bronze .82 Pewter .87



LIGHTING

^{*}Readings at working plane, 2'6" above floor. Beam Angle and Diameter Cutoff at 50% of max. Candlepower Coefficients used at effective reflectances of: 70% Ceiling, 50% Walls, 20% Floor