



OPTIO™ SCR STANDARD PERFORMANCE
DIMMING MODULE
OPT240007: DUAL 4000VA 277V

Project:

Location/Type:

Description


Optio™ OPT240007 Dimmer Modules are robust, commercial grade dimmer modules containing two independent dimmers. Each unit employs two silicon controlled rectifiers, placed in a back to back configuration, and each device is rated at no less than double the dimmer's rated capacity. . They are c.U.L. recognized and rated for operation at 277VAC, with a capacity of 4000 watts per dimmer. The module is ruggedly designed, fully enclosed module. Modules are easily installed into an Optio™ Lighting Control Panel, and may be easily interchanged with other Optio™ modules.

Features


- Two dimmers rated at 4000 watts each
- Designed to dim incandescent, inductive and magnetic low voltage loads
- Local 'Focus' button allows manual operation of dimmer circuit.
- Dual-color LED indicators provide status information
- Modular construction with plug-in capability
- Mounts into any Optio™ 277VAC Lighting Control Panel

Ordering Info

OPT240007 Optio™ SCR Dimming Module, Dual 4000 Watts, 277VAC



3D View



Rear View

Specifications

The Optio™ OPT240007 SCR Dimmer Module shall contain two solid-state dimmers rated for 4000 watts each. The dimmers shall be UL and cUL recognized, and approved to control incandescent, inductive, and magnetic low voltage loads. Dimmer modules shall be constructed using two silicon controlled rectifiers placed in a back-to-back configuration for each circuit, and shall be capable of handling current rated for twice the dimmer's load rating.

The Optio™ OPT240007 SCR Dimmer Module shall provide a locally mounted 'Focus' button for each dimmer. Tapping the Focus button shall turn the dimmer to full on, tapping the Focus button a second time shall turn the dimmer to off. Pushing and holding the Focus button will ramp the dimmer output up, and shall stop ramping and hold position when the Focus button is released. The Dimmer Module shall contain a dual-color LED display to indicate dimmer status and error conditions.

The Optio™ OPT240007 Dimmer Module shall be constructed with a robust anodized aluminum heatsink, and painted metal cover. Optio™ Dimmer Modules shall be capable of installation into any slot in any Optio™ Lighting Control Panel of the appropriate operating voltage.

Electrical

Operating Voltage: 277VAC, 60Hz

Number of Dimmers per module: 2

Maximum Load Wattage: 4000 Watts per dimmer

Compatible Load Type(s): Incandescent, Inductive, Magnetic Low Voltage


Efficiency: 97%

Operating Temperature Range: 0-40°C

Operating Relative Humidity: 10-90% (non-condensing)



Dimensions



Installation in an Optio™ Lighting Control Panel

NOTE: The Optio 9-Module Panel model is used to illustrate the installation, however, the module installation is identical for all Optio Panel models.

